# **SIEMENS**

## Data sheet

# 6GK5008-0BA10-1AB2

SCALANCE XB008 Unmanaged Industrial Ethernet Switch for 10/100 Mbit/s for setting up small star and line topologies; LED diagnostics, IP20, 24 V AC/DC power supply, with 8x 10/100 Mbit/s twisted pair ports with RJ45 sockets; Manual available as a download



Product type designation	SCALANCE XB008
Transfer rate	
Transfer rate	10 Mbit/s, 100 Mbit/s
Interfaces / for communication / Integrated	
Number of electrical connections	
• for network components or terminal equipment	8; RJ45
Number of 100 Mbit/s SC ports	
• for multimode	0
Interfaces / other	
Number of electrical connections	
• for power supply	1
Type of electrical connection	
• for power supply	3-pole terminal block
Supply voltage, current consumption, power loss	
Type of voltage / 1 / of the supply voltage	DC
<ul> <li>Supply voltage / 1 / Rated value</li> </ul>	24 V
• Power loss [W] / 1 / Rated value	2.88 W

Supply voltage / 1 / rated value	19.2 28.8 V
Type of voltage / 2 / of the supply voltage	
Supply voltage / 2 / rated value	19.2 28.8 V
Ambient conditions	
Ambient temperature	
<ul><li>during operation</li></ul>	-10 +60 °C
<ul><li>during storage</li></ul>	-40 +80 °C
during transport	-40 +80 °C
Relative humidity	
• at 25 °C / without condensation / during	95 %
operation / maximum	
Protection class IP	IP20
Design, dimensions and weights	
Design	Box
Width	45 mm
Height	100 mm
Depth	87 mm
Net weight	0.18 kg
Mounting type	
• 35 mm DIN rail mounting	Yes
<ul><li>wall mounting</li></ul>	Yes
• S7-1500 rail mounting	No
Product functions / management, configuration, engineering	
Product function	
<ul> <li>multiport mirroring</li> </ul>	No
• CoS	Yes
PROFINET conformity class	Α
Product function / switch-managed	No
Product functions / redundancy	
Product function	
<ul> <li>Parallel Redundancy Protocol (PRP)/operation in the PRP-network</li> </ul>	Yes
<ul> <li>Parallel Redundancy Protocol</li> <li>(PRP)/Redundant Network Access (RNA)</li> </ul>	No
Standards, specifications, approvals	
Standard	
• for FM	FM3611: Class 1, Divison 2, Group A, B, C, D / T4, CL.1, Zone 2, GP. IIC, T4
• for hazardous zone	EN 60079-0:2009, EN60079-15:2010, II 3 G Ex nA IIC T4 Gc, KEMA 07ATEX0145 X
• for safety / from CSA and UL	UL 60950-1, CSA C22.2 No. 60950-1

for emitted interference
 for interference immunity
 MTBF
 EN 61000-6-4 (Class A)
 EN 61000-6-2
 214 y

Standards, specifications, approvals / CE

Certificate of suitability / CE marking Yes

#### Standards, specifications, approvals / other

Certificate of suitability EN 61000-6-2, EN 61000-6-4

C-TickKC approvalYes

### Further information / Internet-Links

#### Internet-Link

• to website: Selector SIMATIC NET

**SELECTION TOOL** 

• to website: Industrial communication

• to website: Industry Mall

• to website: Information and Download Center

• to website: Image database

• to website: CAx Download Manager

• to website: Industry Online Support

http://www.siemens.com/snst

http://www.siemens.com/simatic-net

https://mall.industry.siemens.com

http://www.siemens.com/industry/infocenter

http://automation.siemens.com/bilddb

http://www.siemens.com/cax

https://support.industry.siemens.com

#### Security information

Security information

Siemens provides products and solutions with industrial security functions that support the secure operation of plants, solutions, machines, equipment and/or networks. They are important components in a holistic industrial security concept. With this in mind, Siemens' products and solutions undergo continuous development. Siemens recommends strongly that you regularly check for product updates. For the secure operation of Siemens products and solutions, it is necessary to take suitable preventive action(e.g. cell protection concept) and integrate each component into a holistic, state-of-the-art industrial security concept. Third-party products that may be in use should also be considered. For more information about industrial security, visit http://www.siemens.com/industrialsecurity. To stay informed about product updates as they occur, sign up for a product-specific newsletter. For more information, visit

http://support.automation.siemens.com. (V3.4)

last modified:

07/29/2020